



Led Down Light



Product: LED Down Light MR

Model: MR409/MR615/MR1024/MR1230

Features

- - Standard Colors: White, Black, Brush Nickel, Chrome (Can Custom Colors)
- - 5-CCT Dip Switch
- - 3 Power Adjustable
- - Driver Type: Constant Current Body
- - Octagon Steel Junction Box General Type
- - 6" Octagon Steel Junction Boxes
- - Hard Wire Adapter to Male Quick Connect Terminal

Details

Item	Model	Led Recessed Ceiling		
General Performance	Power	9W-30W		
	Luminous Efficacy	80		
	Default Driver Input	100-347 V		
	Color Temperature	2700-6500		
	LED	SMD		
Electrical	Power Factory			
	Input Voltage	100-347 V		
	THD	<20%		
Physical	Weight		2.3 Pounds	
	Dimension	125mm(5")-300mm(11 3/4")	20mm (1/4")-24mm (1")	
	Housing			
	Beam Angle	110°		
	Lens	Glass		
	Mounting			
	Operation Temperature			
	Humidity			
	Finish			
	IP rated			
Certificate	Certificate	UL,DLC.LM80		
	Material Usage			
	Driver Class	Constant Current Body		

Certifications



LM80



ErP



IP65

